

PLC-interface units, front adapters and prefabricated cables

Catalogue 2014/2015

Let's connect.

PLC-system cabling



PLC-Interface Units, Front Adapters and Prefabricated Cables

Catalogue 4.5

PLC-Interface Units, Front Adapters and Prefabricated Cables

Universal solutions for PLC input/output cards

Specific solutions for PLC/DCS I/O cards

Interface and pre-assembled cables for general applications

Card holders

Contents

A

B

C

D

Appendix

Weidmüller Solutions & Service

Index

Index Type / Index Order No.
Addresses worldwide

V

X

PLC-Interface Units, Front Adapters and Prefabricated Cables

RS IO


Page A.38



- Passive interfaces for digital input/outputs for PLCs
- Ribbon cable connection 20 pole 1-2-3 wires
- With LED, fuses, disconnecter
- Screw or tension clamp connection

RS A

Page A.60



- Passive interfaces for analogue input/output for PLCs
- Connection connector SUB-D
- With disconnection by channel and test points
- Screw or tension clamp connection

RSM

Page A.66



- Passive insulated digital inputs interfaces for PLCs
- Ribbon connection cable, plain, 20 pole
- Screw or tension clamp connection

RSM


Page A.70



- Passive insulated interfaces for digital outputs for PLCs
- Ribbon connection cable, 20 pole
- With narrow 6 mm relay or standard RCL
- Screw or tension clamp connection

PAC-UNIV


Page A.82



- Pre-assembled cables
- At one end has the PLC connector
- The other end has a wire-end ferrule

FTA-C300


Page B.4



- Passive input/output interfaces for Honeywell C300
- Screw or tension clamp connection

FTA-C300-RSLIM

Page B.10



- Passive insulated output interfaces for Honeywell C300
- Screw or tension clamp connection

PAC-C300

Page B.11



- Pre-assembled cables for Honeywell C300

FAD


Page B.14



- Front adapters for Siemens S7-300 and Control logix

RSF- PLC


Page B.24



- Passive digital input/output interfaces for PLCs and FAD front adapters
- 1-2-3 wires
- With LED, fuses
- Screw or tension clamp connection

RSM- PLC

Page B.30



- Passive insulated digital output interfaces for PLCs and FAD front adapters
- With narrow 6 mm relay or standard RCL
- Screw or tension clamp connection

MICRO-INTERFACE


Page B.34



- Adapter for connecting to MICROSERIES relays and converters
- Ribbon or SUB-D connector cable

RS F


Page C.6



- Interface for ribbon cable in accordance with IEC 603-1/ DIN41651
- Connection 1:1
- 10 to 64 poles

RS SD

Page C.8



- Interface for connector SUB-D in accordance with IEC 807-2/ DIN41652
- Connection 1:1
- 9 to 50 male or female poles

RS RJ45


Page C.10



- Interfaces with RJ45 connector
- Connection 1:1

RS ELCO


Page C.12



- Interface with ELCO plug-in connectors
- 20 to 90 poles
- Screw or tension clamp connection

RS VERT

Page C.16



- Supply voltage distributor modules
- Connection 1:1
- 2 to 6 potentials

RSD

Page C.19



- Interfaces with independent diodes or with anode or common cathode
- Screw connection

PLC-Interface Units, Front Adapter and Prefabricated Cables

PAC-UNIV-HE

Page C.20



- Pre-assembled cables with ribbon cable connector
- Wire-end ferrules or ribbon cable connector
- Connection 1:1

PAC-UNIV-D

Page C.21



- Pre-assembled cables with SUB-D connector
- Wire-end ferrules or SUB-D connector
- Connection 1:1
- Shielded cable

PAC-ELCO

Page C.23



- Pre-assembled cables with ELCO connector
- Wire-end ferrules or ELCO connector
- Connection 1:1
- Shielded cable

SKH

Page D.4



- Card holders for adapting Euro format cards (19")
- Plug-in connectors acc. to IEC 603/DIN 41612 and DIN 41617